

DRILL CHUCKS

SDCP SUPER PRECISION KEYLESS DRILL CHUCKS <i>AUTOSERRANTI CLASSE ALTA PRECISIONE</i>	8.3
SDCX SUPER PRECISION KEYLESS DRILL CHUCKS - MAX GRIPPING TORQUE <i>AUTOSERRANTI CLASSE ALTA PRECISIONE CON CHIAVE - MAX FORZA SERRANTE</i>	8.4
SDCKS STANDARD KEYLESS DRILL CHUCKS <i>AUTOSERRANTI CLASSE STANDARD</i>	8.5
SDCKX STANDARD KEYLESS DRILL CHUCKS WITH SECURITY LOCK <i>AUTOSERRANTI CLASSE STANDARD CON CHIUSURA DI SICUREZZA</i>	8.7
SDCPL KEYLESS DRILL CHUCKS FOR PORTABLE DRILLING MACHINE <i>AUTOSERRANTI PER TRAPANI PORTATILI</i>	8.8
SDCPX KEYLESS DRILL CHUCKS FOR PORTABLE PERCUSSION DRILLING MACHINE <i>AUTOSERRANTI PER TRAPANI PORTATILI REVERSIBILI E A PERCUSSIONE</i>	8.9
SDCL LIGHT DUTY DRILL CHUCKS WITH KEY FOR PORTABLE DRILLING MACHINE <i>AUTOSERRANTI CON CHIAVE SERIE ULTRALEGGERI</i>	8.10
SDCH HEAVY DUTY DRILL CHUCKS WITH KEY FOR PORTABLE DRILLING MACHINE <i>AUTOSERRANTI CON CHIAVE SERIE PROFESSIONALE</i>	8.11

DRILL CHUCKS

SDCY
INDUSTRIAL DRILL CHUCKS WITH KEY 8.12
AUTOSERRANTI CON CHIAVE SERIE INDUSTRIALE

SDCBB
BALL BEARING DRILL CHUCKS WITH KEY FOR DRILLING MACHINE 8.13
AUTOSERRANTI CON GABBIA A SFERE PER MACCHINE DI FORATURA

DRILL CHUCKS

SUPER PRECISION KEYLESS DRILL CHUCKS
AUTOSERRANTI CLASSE ALTA PRECISIONE




Part Number	Capacity	Tap Size	ØD	L	L1
SDCP-03-B6	0 ÷ 3	B 6	24,5	47,5	44
SDCP-03-B10	0 ÷ 3	B 10	24,5	47,5	44
SDCP-03-J0	0 ÷ 3	J 0	24,5	47,5	44
SDCP-03-J1	0 ÷ 3	J 1	24,5	47,5	44
SDCP-03-R5/16	0 ÷ 3	5/16-24	24,5	47,5	44
SDCP-06-B12	0 ÷ 6,5	B 12	33	70	62
SDCP-06-J1	0 ÷ 6,5	J 1	33	70	62
SDCP-08-B12	0 ÷ 8	B 12	38	74	67
SDCP-08-J1	0 ÷ 8	J 1	38	74	67
SDCP-08-J2S	0 ÷ 8	J 2S	38	74	67
SDCP-08-R3/8	0 ÷ 8	3/8-24	38	74	67
SDCP-10-B12	0 ÷ 10	B 12	43	89	81
SDCP-10-B16	0 ÷ 10	B 16	43	89	81
SDCP-10-J2	0 ÷ 10	J 2	43	89	81
SDCP-10-J33	0 ÷ 10	J 33	43	89	81
SDCP-10-R3/8	0 ÷ 10	3/8-24	43	89	81
SDCP-10-R1/2	0 ÷ 10	1/2-20	43	89	81
SDCP-13-B16	1 ÷ 13	B 16	49	103	91
SDCP-13-J2	1 ÷ 13	J 2	49	103	91
SDCP-13-J33	1 ÷ 13	J 33	49	103	91
SDCP-13-J6	1 ÷ 13	J 6	49	103	91
SDCP-13-R1/2	1 ÷ 13	1/2-20	49	103	91
SDCP-16-B16	3 ÷ 16	B 16	55	107	95
SDCP-16-B18	3 ÷ 16	B 18	55	107	95
SDCP-16-J33	3 ÷ 16	J 33	55	107	95
SDCP-16-J6	3 ÷ 16	J 6	55	107	95

SDCP

WITHOUT KEY - MAX RUN-OUT 0,04 mm

SENZA CHIAVE - ECCENTRICITA' MAX ROTAZIONE UTENSILE 0,04 mm




DRILL CHUCKS

NEW

SUPER PRECISION KEYLESS DRILL CHUCKS - MAX GRIPPING TORQUE

AUTOSERRANTI CLASSE ALTA PRECISIONE CON CHIAVE - MAX FORZA SERRANTE

Part Number	Capacity	Tap Size	ØD	L	L1
SDCX-06-B12	0 ÷ 6,5	B 12	33	70	62
SDCX-06-J1	0 ÷ 6,5	J 1	33	70	62
SDCX-08-B12	0 ÷ 8	B 12	38	74	67
SDCX-08-J1	0 ÷ 8	J 1	38	74	67
SDCX-08-J2S	0 ÷ 8	J 2S	38	74	67
SDCX-10-B12	0 ÷ 10	B 12	43	89	81
SDCX-10-B16	0 ÷ 10	B 16	43	89	81
SDCX-10-J2	0 ÷ 10	J 2	43	89	81
SDCX-10-J33	0 ÷ 10	J 33	43	89	81
SDCX-13-B16	1 ÷ 13	B 16	49	103	91
SDCX-13-J2	1 ÷ 13	J 2	49	103	91
SDCX-13-J33	1 ÷ 13	J 33	49	103	91
SDCX-13-J6	1 ÷ 13	J 6	49	103	91
SDCX-16-B16	3 ÷ 16	B 16	55	107	95
SDCX-16-B18	3 ÷ 16	B 18	55	107	95
SDCX-16-J33	3 ÷ 16	J 33	55	107	95
SDCX-16-J6	3 ÷ 16	J 6	55	107	95



SDCX

DRILL CHUCKS PROVIDED WITH KEY - MAX RUN-OUT 0,04 mm

FORNITI DI CHIAVE - ECCENTRICITA' MAX ROTAZIONE UTENSILE 0,04 mm

DRILL CHUCKS

STANDARD KEYLESS DRILL CHUCKS AUTOSERRANTI CLASSE STANDARD




Part Number	Capacity	Tap Size	ØD	L	L1
SDCKS-04-B10	0 ÷ 4	B 10	26	55	50
SDCKS-04-J1	0 ÷ 4	J 1	26	55	50
SDCKS-06-B12	0 ÷ 6,5	B 12	33	70	65
SDCKS-06-J1	0 ÷ 6,5	J 1	33	70	65
SDCKS-06-R3/8	0 ÷ 6,5	3/8-24	33	74	68
SDCKS-08-B12	0 ÷ 8	B 12	33	70	65
SDCKS-08-R3/8	0 ÷ 8	3/8-24	33	74	68
SDCKS-08-R1/2	0 ÷ 8	1/2-20	33	74	68
SDCKS-08-J1	0 ÷ 8	J 1	33	70	65
SDCKS-08-J2S	0 ÷ 8	J 2S	33	70	65
SDCKS-10-B12	0 ÷ 10	B 12	39	80	73
SDCKS-10-B16	0 ÷ 10	B 16	39	80	73
SDCKS-10-R3/8	0 ÷ 10	3/8-24	39	80	73
SDCKS-10-R1/2	0 ÷ 10	1/2-20	39	80	73
SDCKS-10-J2	0 ÷ 10	J 2	39	80	73
SDCKS-13-B16	1 ÷ 13	B 16	44	95	86
SDCKS-13-J2	1 ÷ 13	J 2	44	95	86
SDCKS-13-J33	1 ÷ 13	J 33	44	95	86
SDCKS-13-J6	1 ÷ 13	J 6	44	95	86
SDCKS-13-R3/8	1 ÷ 13	3/8-24	44	95	86
SDCKS-13-R1/2	1 ÷ 13	1/2-20	44	95	86
SDCKS-16-B16	3 ÷ 16	B 16	51	115	102
SDCKS-16-B18	3 ÷ 16	B 18	51	115	102
SDCKS-16-J33	3 ÷ 16	J 33	51	115	102
continued / continua					

SDCKS

WITHOUT KEY - INDUSTRIAL KEYLESS CHUCKS

SENZA CHIAVE - AUTOSERRANTE PER USO INDUSTRIALE




DRILL CHUCKS



STANDARD KEYLESS DRILL CHUCKS AUTOSERRANTI CLASSE STANDARD

Part Number	Capacity	Tap Size	ØD	L	L1
SDCKS-16-J6	3 ÷ 16	J 6	51	115	102
SDCKS-16-R1/2	3 ÷ 16	1/2-20	51	115	102
SDCKS-16-R5/8	3 ÷ 16	5/8-16	51	115	102
SDCKS-20-B18	5 ÷ 20	B 18	64	140	127
SDCKS-20-B22	5 ÷ 20	B 22	64	140	127
SDCKS-20-J3	5 ÷ 20	J 3	64	140	127

TAP SIZE



SDCKS

WITHOUT KEY - INDUSTRIAL KEYLESS CHUCKS

SENZA CHIAVE - AUTOSERRANTE PER USO INDUSTRIALE

DRILL CHUCKS

STANDARD KEYLESS DRILL CHUCKS WITH SECURITY LOCK
AUTOSERRANTI CLASSE STANDARD CON CHIUSURA DI SICUREZZA




Part Number	Capacity	Tap Size	ØD	L	L1
SDCKX-10-B12	0 ÷ 10	B 12	38	85	79
SDCKX-10-R3/8	0 ÷ 10	3/8-24	38	85	79
SDCKX-10-R1/2	0 ÷ 10	1/2-20	38	85	79
SDCKX-13-B12	1 ÷ 13	B 12	44	100	92
SDCKX-13-B16	1 ÷ 13	B 16	44	100	92
SDCKX-13-R3/8	1 ÷ 13	3/8-24	44	100	92
SDCKX-13-R1/2	1 ÷ 13	1/2-20	44	100	92

SDCKX

IDEAL FOR HAMMER DRILLS - AUTOMATIC FITTING FOR EFFICIENT AND QUICK TOOL CHANGES

IDEALI PER TRAPANI A PERCUSSIONE - SERRAGGIO UTENSILE AUTOMATICO




DRILL CHUCKS

NEW

KEYLESS DRILL CHUCKS FOR PORTABLE DRILLING MACHINE
AUTOSERRANTI PER TRAPANI PORTATILI

Part Number	Capacity	Tap Size	ØD	L	L1
SDCPL-10-R3/8	1 ÷ 10	3/8-24	46	67	56
SDCPL-10-R3/8M*	1 ÷ 10	3/8-24	46	67	56
SDCPL-10-R1/2	1 ÷ 10	1/2-20	46	67	56
SDCPL-13-R3/8	2 ÷ 13	3/8-24	46	81	66
SDCPL-13-R3/8M*	2 ÷ 13	3/8-24	46	81	66
SDCPL-13-R1/2	2 ÷ 13	1/2-20	46	81	66



SDCPL

WITHOUT KEY - * MEANS MALE THREAD

*SENZA CHIAVE - *FILETTO MASCHIO*

DRILL CHUCKS

KEYLESS DRILL CHUCKS FOR PORTABLE PERCUSSION
DRILLING MACHINE

NEW


*AUTOSERRANTI PER TRAPANI PORTATILI REVERSIBILI E A
PERCUSSIONE*

Part Number	Capacity	Tap Size	ØD	L	L1
SDCPX-10-R3/8	1 ÷ 10	3/8-24	41	66	57
SDCPX-10-R3/8M*	1 ÷ 10	3/8-24	41	66	57
SDCPX-10-R1/2	1 ÷ 10	1/2-20	41	66	57
SDCPX-13-R3/8	2 ÷ 13	3/8-24	44	75	65
SDCPX-13-R3/8M*	2 ÷ 13	3/8-24	44	75	65
SDCPX-13-R1/2	2 ÷ 13	1/2-20	44	75	65

SDCPX

WITHOUT KEY - * MEANS MALE THREAD

*SENZA CHIAVE - * FILETTO MASCHIO*



DRILL CHUCKS


NEW

LIGHT DUTY DRILL CHUCKS WITH KEY FOR PORTABLE
DRILLING MACHINE

AUTOSERRANTI CON CHIAVE SERIE ULTRALEGGERI

Part Number	Capacity	Tap Size	ØD	L	L1
SDCL-06-B10	0 ÷ 6,5	B 10	30	55	44
SDCL-06-R3/8	0 ÷ 6,5	3/8-24	30	55	44
SDCL-10-B12	1 ÷ 10	B 12	33	60	50
SDCL-10-R3/8	1 ÷ 10	3/8-24	33	60	50
SDCL-10-R3/8M*	1 ÷ 10	3/8-24	33	60	50
SDCL-10-R1/2	1 ÷ 10	1/2-20	33	60	50
SDCL-13-B12	1,5 ÷ 13	B 12	43	73	59
SDCL-13-B16	1,5 ÷ 13	B 16	43	73	59
SDCL-13-R3/8	1,5 ÷ 13	3/8-24	43	73	59
SDCL-13-R3/8M*	1,5 ÷ 13	3/8-24	43	73	59
SDCL-13-R1/2	1,5 ÷ 13	1/2-20	43	73	59
SDCL-13-R5/8	1,5 ÷ 13	5/8-16	43	73	59
SDCL-16-B16	3 ÷ 16	B 16	54	85	66
SDCL-16-B18	3 ÷ 16	B 18	54	85	66
SDCL-16-R1/2	3 ÷ 16	1/2-20	54	85	66
SDCL-16-R5/8	3 ÷ 16	5/8-16	54	85	66

TAP SIZE



SDCL

DRILL CHUCKS PROVIDED WITH KEY - *MEANS MALE THREAD

*FORNITI DI CHIAVE - *FILETTO MASCHIO*

DRILL CHUCKS

HEAVY DUTY DRILL CHUCKS WITH KEY FOR PORTABLE
DRILLING MACHINE

AUTOSERRANTI CON CHIAVE SERIE PROFESSIONALE


NEW

Part Number	Capacity	Tap Size	ØD	L	L1
SDCH-10-R3/8	1 ÷ 10	3/8-24	34	59	49
SDCH-10-R3/8M*	1 ÷ 10	3/8-24	34	59	49
SDCH-10-R1/2	1 ÷ 10	1/2-20	34	59	49
SDCH-13-R3/8	1,5 ÷ 13	3/8-24	46	78	65
SDCH-13-R3/8M*	1,5 ÷ 13	3/8-24	46	78	65
SDCH-13-R1/2	1,5 ÷ 13	1/2-20	46	78	65

SDCH

DRILL CHUCKS PROVIDED WITH KEY - *MEANS MALE THREAD

*FORNITI DI CHIAVE - *FILETTO MASCHIO*




DRILL CHUCKS

NEW

INDUSTRIAL DRILL CHUCKS WITH KEY *AUTOSERRANTI CON CHIAVE SERIE INDUSTRIALE*

Part Number	Capacity	Tap Size	ØD	L	L1
SDCY-04-J0	0,5 ÷ 4	J 0	22	36	30
SDCY-06-B10	0,5 ÷ 6,5	B 10	32	51	39
SDCY-06-B12	0,5 ÷ 6,5	B 12	32	51	39
SDCY-06-J1	0,5 ÷ 6,5	J 1	32	51	39
SDCY-06-R3/8	0,5 ÷ 6,5	3/8-24	32	68	53
SDCY-10-B12	1 ÷ 10	B 12	43	68	53
SDCY-10-B16	1 ÷ 10	B 16	43	68	53
SDCY-10-R3/8	1 ÷ 10	3/8-24	43	68	53
SDCY-10-R1/2	1 ÷ 10	1/2-20	43	68	53
SDCY-10-J2	1 ÷ 10	J 2	43	68	53
SDCY-13-B12	1 ÷ 13	B 12	53	86	68
SDCY-13-B16	1 ÷ 13	B 16	53	86	68
SDCY-13-J33	1 ÷ 13	J 33	53	86	68
SDCY-13-J6	1 ÷ 13	J 6	53	86	68
SDCY-13-R3/8	1 ÷ 13	3/8-24	53	86	68
SDCY-13-R1/2	1 ÷ 13	1/2-20	53	86	68
SDCY-16-B16	1 ÷ 16	B 16	57	94	76
SDCY-16-B18	1 ÷ 16	B 18	57	94	76
SDCY-16-J3	1 ÷ 16	J 3	57	94	76
SDCY-16-J33	1 ÷ 16	J 33	57	94	76
SDCY-16-J6	1 ÷ 16	J 6	57	94	76
SDCY-16-R1/2	1 ÷ 16	1/2-20	57	94	76
SDCY-16-R5/8	1 ÷ 16	5/8-16	57	94	76
SDCY-19-B22	3 ÷ 19	B 22	65	108	82
SDCY-19-J3	3 ÷ 19	J 3	65	108	82
SDCY-19-J4	3 ÷ 19	J 4	65	108	82

TAP SIZE



SDCY

DRILL CHUCKS PROVIDED WITH KEY - FOR STATIONART DRILLS, LATHES,
MILLING AND WOOD-WORKING MACHINES

*FORNITI DI CHIAVE - PER TRAPANI FISSI, TORNI, FRESATRICI E MACCHINE PER
LAVORAZIONE LEGNO*

DRILL CHUCKS

BALL BEARING DRILL CHUCKS WITH KEY FOR DRILLING MACHINE

NEW


AUTOSERRANTI CON GABBIA A SFERE PER MACCHINE DI FORATURA

Part Number	Capacity	Tap Size	ØD	L	L1
SDCBB-10-J2	1 ÷ 10	J 2S	47	70	55
SDCBB-13-J33	1 ÷ 13	J 33	62	94	75
SDCBB-13-J3	1 ÷ 13	J 3	62	94	75
SDCBB-16-J3	1 ÷ 16	J 3	67	102	81
SDCBB-19-J4	1 ÷ 19	J 4	75	125	99
SDCBB-25-J5	5 ÷ 25	J 5	93	147	112

SDCBB

DRILL CHUCKS PROVIDED WITH KEY - ALL PARTS ARE HARDENED AND PRECISION GROUND

FORNITI DI CHIAVE - TUTTI I PARTICOLARI SONO TEMPRATI E RETTIFICATI



Seinco Components s.r.l.

Via della Basilica, 2

10122 - Torino - Italy

P.Iva - Vat : 09226290014

Tel. : +39 011 4361658

Fax : +39 011 4361658

e-mail : sales@seincosrl.com

<http://www.seincosrl.com>